



CODEMARK™

Product Description

The Granitgard including Blockaid termite management system comprises various components:

Graded stone particles, bitumen based sealant, various plastic components including penetration collars, bitumen coated aluminium sheet

Product Purpose or Use

A perimeter cavity, underslab and penetrations physical termite management system to deter concealed entry by subterranean termites into a building.

Certificate Holder

Granitgard Pty Ltd
ABN 12 003 630 153

PO Box 1537
Oxenford QLD 4120

CodeMark Certification Body

SAI Global Certification Services Pty Limited
(ACN 108 716 669) Trading as "SAI Global"
JAS-ANZ Accreditation No. Z1440295AS
Address: 286 Sussex Street, Sydney, NSW 2000
Website: www.saiglobal.com

CERTIFICATE OF CONFORMITY

This is to certify that

Granitgard including Blockaid termite management system



Complies with the Building Code of Australia (BCA):

1. Volume One: BP1.1 and BP1.2 *(limited only to actions by subterranean termites)*
2. Volume Two: P2.1 *(limited only to actions by subterranean termites)*
3. State Additions: Volume Two: QLD P2.1.1 *(limited only to actions by subterranean termites)*

Subject to the following conditions and limitations:

1. The Granitgard including Blockaid termite management system is to be installed by licensed installers trained and approved by Granitgard Pty Ltd.
2. The Granitgard including Blockaid termite management system is to be installed in accordance with the Granitgard Installation Manual Version 5.4 dated January 2009 and the Blockaid Installation Manual Version 1.02 dated October 2008.
3. The Granitgard including Blockaid termite management system when used across a perimeter cavity must finish at least 75mm above the surrounding finished ground level except at full height windows and doorways where the inspection zone may be reduced as outlined in the respective installation manual.
4. The Granitgard collars are to be installed on service pipe penetrations as outlined in the Granitgard installation manual.
5. The Granitgard including Blockaid termite management system has not been assessed to be installed north of the Tropic of Capricorn. Granitgard is not to be installed north of the Tropic of Capricorn as stated in the Granitgard installation manual.
6. The concrete slab must be constructed in accordance with the requirements of AS 2870-1996 Residential slabs and footings - Construction (as amended).
7. Inspections are undertaken annually in accordance with the Granitgard Technical manual to determine that no bridging or breaching of the barrier has occurred.

Notes:

(i) The installation of any termite management system cannot guarantee a 100% protection against infestation by subterranean termites. Thus the installation of a physical barrier does not negate the need for regular competent inspections. Any additions, alterations or earth works, including gardening adjacent to the building, may render the termite management system ineffective. Such activity should be referred to a licensed installation contractor for appropriate advice and treatment.

(ii) Any additional treatment should be done in accordance with the relevant State or Territory regulations.

Alex Ezrakhovich
General Manager Certification
For and on behalf of SAI Global

27/07/2009

**Original
Date of Issue**

26/07/2012

Date of Expiry

SAIG-09-CM20020

Certificate Number



- This Certificate of Conformity is issued under arrangement with JAS-ANZ. The ABCB does not in any way warrant or represent that the Product the subject of this Certificate of Conformity conforms with the BCA, nor accepts any liability arising out of the use of the Product.
- It is advised to check that this Certificate of Conformity is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the ABCB website, www.abcb.gov.au.